BEW India

Product Specification Sheet - 08 Nov 2026

Shrub Master/Rotary Slasher-Plate model

Shrub Master-Plate model-MANUFACTURERS, EXPORTERS, AND SUPPLIERS
Shrub Master is also known as Rotary Slasher from BEW INDIA We are one of the leading manufacturers, exporters, and suppliers of Shrub Master/Rotary Slasher-Plate model. Our Rotary Slasher is very suitable for controlling and cutting shrubs, and it has a heavy-duty gearbox and rugged frame which is capable of slashing pasture toppings, rough-tough shrubs, and cutting tall weed plants/rough & tough wild grass, anchored straw, and bushes.
It comes in handy for maintaining grasslands, road verges, hard shrubs, and lawns with the finest shredding with its long-life-cutting blades. and it is designed for fast & heavy-duty working with any type of tractor. It is powerful enough to cope with tall weeds and small bushes yet gives a satisfactory fine cut on turf areas mounted with optional front and rear rollers. BEW INDIA's Rotary Slasher/Shrub Master comes with a safety shield & gearbox safety cover that increases overall safety and it requires less maintenance. know more about Shrub Master/ Rotary Slasher Click Here. We are a pioneer in the manufacturing of excellent quality Shrub Master at an affordable price with these specifications :

Overall Length(mm)

1635

Overall Width(mm)

1843

Overall Height(mm)

1103

Shape

Pyramid

Weight(kg)

275

For booking click here. More specifications are down below:

Special Features

Shrub Master has a rugged frame that is capable of withstanding higher load conditions like rough & tough wild grass, anchored straw, and bushes.
It is powerful enough to cope with tall weeds and small bushes yet gives a satisfactory fine cut.
It has a long life of cutting blades.
It is designed for fast & heavy-duty working with any type of tractor.
A tractor-mounted cutter provides a very cost-effective grass-cutting solution.
This is one of the best machines in itself for cutting unwanted wild grasses.

Shrub Master/Rotary Slasher Specifications

Overall Length(mm)

1635

Overall Width(mm)

1843

Overall Height(mm)

1103

Weight(kg)

275

Tractor Power Required(HP)

35 - 45

Maximum PTO power(KW)

36.3

PTO Input Speed (RPM)

540+

Shape

Pyramid

Thank you for your interest. This document summarises your quotation request.

BEW India 1800 1200 04455 helpdesk@ksagrotech.org